LPCB®

www.redbooklive.com

Certificate of Product Approval

Certificate Number: 026-2b

Issue: 04

Bolton Gate Company Limited

Waterloo Street Bolton Lancashire BL1 2SP

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

Superfold 4000 Superfold 5000 hinged security doorsets

Standard

LPS 1175: Issue 5 Specification for testing and classifying the burglary resistance of building components,

strongpoints and security enclosures

PRE

This certificate and appendix is maintained and held in force through regular surveillance activities



© BRE Global Ltd, 2014

LPCB®

Appendix to Certificate No: 026-2b Bolton Gate Company Limited

Issue: 04

Hinged Security Doorsets

Product Name	Product Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
Superfold 4000	Sliding folding panel security doorset ¹ comprised of 4 door panels	3.0	6.0	1.7	4.65	4 026-2b/01	
	Sliding folding panel security doorset ¹ comprised of 6 door panels	3.0	6.0	2.6	7.0		
	Sliding folding panel security doorset ¹ comprised of 8 door panels	3.0	6.0	3.55	8.0		
Superfold 5000	Sliding folding panel security doorset ¹ comprised of 4 door panels	3.0	6.0	1.7	4.65	5	026-2b/02
	Sliding folding panel security doorset ¹ comprised of 6 door panels	3.0	6.0	2.6	7.0		
	Sliding folding panel security doorset ¹ comprised of 8 door panels	3.0	6.0	3.55	8.0		

Approved Locking Configurations

Product Name	LPCB Ref. No.	Туре	Compatible Locking Devices
Superfold 4000	026-2b/01	Sliding folding panel security doorset	Pragmasis HS1 hasp and staple with Chubb 1K11 padlock ²
Superfold 5000	026-2b/02	Sliding folding panel security doorset	Pragmasis HS1 hasp and staple with Chubb 1K11 padlock ²

Notes:

1. Single stack back configuration only.

2. The locking device is mounted on the protected face of the doorset and is not accessible from the attack face. Therefore, although not currently covered by the scope of the approval, other padlocks may be suitable for use on the doorsets. The locking system may incorporate an electric interlock to prevent operation of the doorset while the padlock is still secured.

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 18 October 2016 05 November 2002 Verifier Date of Issue Date of First Issue Signed for LPCB This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms). To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us. LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>Enquiries@breglobal.com</u>



© BRE Global Ltd, 2014