

Certificate of Product Approval

Certificate Number: 026-2c

Issue: 01

Bolton Gate Company Ltd

Waterloo Street
Bolton
Lancashire
BL1 2SP



is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

SecRoll 1
security shutters

Standards

LPS 1175: Issue 8
Requirements and testing procedures for the LPCB certification and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

Signed for BRE Global Ltd.

Chris Hunt
Verifier

3 April 2024
Date of Issue

3 April 2024
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 026-2c Bolton Gate Company Ltd

Issue: 01

Security Shutters

Product Name	Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Locking Devices	Security Rating	LPCB Ref No.
SecRoll 1	Internally face fixed security shutter incorporating insulated lath	1.0	7.0	1.0	7.0	Two internal pin locks	A1 (SR1)	026-2c/01

Approved Installation Configurations

Product Name	Type	Substrate			
		Brickwork	Blockwork	Concrete	Steelwork
SecRoll 1	Internally face fixed security shutter	✓	✓	✓	✓

Note:

- The security rating only applies to the shutters when installed and operated in accordance with the documents 'FI 17074 Issue 1 Direct Drive – Fixing instructions', 'FI 17081 Issue 1 Tubular Motor -Fixing instructions', 'PM17070 Issue 1 Direct Drive - Operating and maintenance instructions' and 'PM17072 Issue 1 Tubular Motor - Operating and maintenance instructions'. The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard.
- The locking devices are fitted to the internal face of the product. Certification does not cover the use of locking devices other than those listed above. Utilisation of unlisted locking devices may affect the level of security offered by the shutter.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Chris Hunt
Verifier

3 April 2024
Date of Issue

3 April 2024
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.

